



## DEMINERALIZING FILTERS


|  | Code       | Item                 | Connect. | Autonom.<br>about | Dimensions |           | Notes                                | Pack.<br>pcs. | Unit price<br>Euro |
|----------------------------------------------------------------------------------|------------|----------------------|----------|-------------------|------------|-----------|--------------------------------------|---------------|--------------------|
|                                                                                  |            |                      |          |                   | L<br>(cm)  | H<br>(cm) |                                      |               |                    |
|                                                                                  | 101.090.10 | DEPURATOTAL 600 1/2" | 1/2" F   | 100 l             | 26         | 24        | (Complete of 7" DEMI cartridge ) **  | 1             | 88,00              |
|                                                                                  | 101.090.20 | DEPURATOTAL 900 3/4" | 3/4" F   | 150 l             | 26         | 32        | (Complete of 10" DEMI cartridge ) ** | 1             | 109,00             |
| ** Produces demineralized water for ironing and car batteries.                   |            |                      |          |                   |            |           |                                      |               |                    |

## CHLORINE REMOVING FILTERS

|  | Code       | Item               | Connect. | Autonom.<br>about | Dimensions |           | Notes                                       | Pack.<br>pcs. | Unit price<br>Euro |
|----------------------------------------------------------------------------------|------------|--------------------|----------|-------------------|------------|-----------|---------------------------------------------|---------------|--------------------|
|                                                                                  |            |                    |          |                   | L<br>(cm)  | H<br>(cm) |                                             |               |                    |
|                                                                                  | 101.090.50 | DEPURCLOR 600 3/4" | 3/4" F   | 44* m³            | 12         | 24        | Complete of 7" chlorine removing cartridge  | 1             | 66,00              |
|                                                                                  | 101.090.60 | DEPURCLOR 900 1"   | 1" M     | 66* m³            | 15         | 32        | Complete of 10" chlorine removing cartridge | 1             | 84,00              |
| * Data referred to a water with 0,5 p.p.m. free chlorine.                        |            |                    |          |                   |            |           |                                             |               |                    |


## U.V. STERILIZING FILTERS



|  | Code        | item                    | Connect.<br>F.                                | Dimensions<br>L<br>(cm)    H<br>(cm) |    | Notes                                                                                                            | Unit price<br>Euro |
|-----------------------------------------------------------------------------------|-------------|-------------------------|-----------------------------------------------|--------------------------------------|----|------------------------------------------------------------------------------------------------------------------|--------------------|
|                                                                                   | 101.077.00  | <b>GELPUR FILTER SI</b> | 1/2"                                          | 25                                   | 38 | Bactericide/chlorine removing filter with U.V., blocking valve, alarm, liter counter, supplementary delivery tap | <b>612,00</b>      |
|                                                                                   | 101.075.00  | <b>GELPUR FILTER</b>    | 1/2"                                          | 12                                   | 38 | Bactericide/chlorine removing filter with U.V., alarm, liter counter, supplementary delivery tap                 | <b>440,00</b>      |
|                                                                                   | ACCESSORIES |                         |                                               |                                      |    |                                                                                                                  |                    |
|                                                                                   | 102.307.80  | <b>THREE-WAY TAP</b>    | Three-way tap for hot, cold and treated water |                                      |    |                                                                                                                  |                    |

## U.V. STERILIZERS



|  | Code       | Item                                   | Male<br>Connect.                                                                              | Flow<br>rate<br>l/min. | Chamber<br>Dimens. |           | Material      | Notes: upon request stainless steel AISI 316<br>and version for hot water        | Unit price<br>Euro |
|------------------------------------------------------------------------------------|------------|----------------------------------------|-----------------------------------------------------------------------------------------------|------------------------|--------------------|-----------|---------------|----------------------------------------------------------------------------------|--------------------|
|                                                                                    |            |                                        |                                                                                               |                        | L<br>(cm)          | H<br>(cm) | stainl. steel |                                                                                  |                    |
|                                                                                    | 102.332.10 | GELPUR LIGHT 1/19                      | 3/4"                                                                                          | 19                     | 9                  | 55        | AISI 304      | U.V. sterilizer with panel                                                       | 814,00             |
|                                                                                    | 102.332.20 | GELPUR LIGHT 1/45                      | 1"                                                                                            | 45                     | 9                  | 95        | AISI 304      | for ballast, hour counter                                                        | 1.148,00           |
|                                                                                    | 102.332.30 | GELPUR LIGHT 2/75                      | 1"                                                                                            | 75                     | 23                 | 95        | AISI 304      | and control leds                                                                 | 1.638,00           |
|                                                                                    | 102.332.60 | GELPUR LIGHT 1/19 S                    | 3/4"                                                                                          | 19                     | 9                  | 55        | AISI 304      | U.V. sterilizer with panel for ballast, hour counter,                            | 1.330,00           |
|                                                                                    | 102.332.70 | GELPUR LIGHT 1/45 S                    | 1"                                                                                            | 45                     | 9                  | 95        | AISI 304      | control leds, digital indicator for temperat., U.V.-C                            | 1.660,00           |
|                                                                                    | 102.332.80 | GELPUR LIGHT 2/100 S                   | 1 1/2"                                                                                        | 100                    | 22                 | 100       | AISI 304      | sensor. Arrangement for remote control kit and blocking valve (see accessories). | 3.370,00           |
| Note: For bigger models see "Industrial Line" at page 31.                          |            |                                        |                                                                                               |                        |                    |           |               |                                                                                  |                    |
| ACCESSORIES                                                                        |            |                                        |                                                                                               |                        |                    |           |               |                                                                                  |                    |
|                                                                                    | 102.320.05 | REMOTE CONTROL KIT                     | For GELPUR LIGHT "S" Remote control panel display to be ordered together with the sterilizer. |                        |                    |           |               |                                                                                  | 384,00             |
|                                                                                    | 102.319.20 | TRANSFORMER 220/24 Vac.                | Necessary to control the solenoid valve (3/4" - 1" - 1 1/2")                                  |                        |                    |           |               |                                                                                  | 62,00              |
|                                                                                    | 102.319.00 | SOLENOID VALVE NC 3/4"                 | Blocking valve for GELPUR LIGHT 1/19 S 24 V.                                                  |                        |                    |           |               |                                                                                  | 34,00              |
|                                                                                    | 102.319.05 | SOLENOID VALVE NC 1"                   | Blocking valve for GELPUR LIGHT 1/45 S 24 V.                                                  |                        |                    |           |               |                                                                                  | 36,00              |
|                                                                                    | 102.319.10 | SOLENOID VALVE NC 1 1/2"               | Blocking valve for GELPUR LIGHT 2/100 S 24 V.                                                 |                        |                    |           |               |                                                                                  | 76,00              |
|                                                                                    | 452.366.10 | UV LAMP 1/19 - 1/19 S                  | Suitable for GELPUR LIGHT 1/19 - 1/19 S                                                       |                        |                    |           |               |                                                                                  | 92,00              |
|                                                                                    | 452.366.15 | UV LAMP 1/45 - 1/45 S - 2/75 - 2/100 S | Suitable for GELPUR LIGHT 1/45 - 1/45 S - 2/75 - 2/100 S                                      |                        |                    |           |               |                                                                                  | 109,00             |

## UNDER-COUNTER REVERSE OSMOSIS SYSTEMS WITH STORAGE



|  | Code       | Item                      | Dimensions |           |           | Production | Notes: for potable use the liter counter<br>Digi Flow is recommended                                                                                                                                                               | Unit price<br>Euro |
|--|------------|---------------------------|------------|-----------|-----------|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
|  |            |                           | L<br>(cm)  | H<br>(cm) | Z<br>(cm) |            |                                                                                                                                                                                                                                    |                    |
|  | 102.308.20 | <b>GELPUR SL 250</b>      | 38         | 46        | 25        | 250 l/gg   | Reverse osmosis system with <b>storage tank</b> (7 litres), pump, U.V. lamp and mixing tap. Fitted with supplementary delivery tap.<br>Installation: under counter. <i>(for municipal water)</i>                                   | <b>960,00</b>      |
|  | 102.308.10 | <b>GELPUR SL 250 FAST</b> | 30         | 39        | 25        | 250 l/gg   | Reverse osmosis system with <b>storage tank</b> (7 litres), pump, U.V. lamp and mixing tap. Fitted with supplementary delivery tap.<br><b>Quick connect. cartridges.</b> Installation: under counter. <i>(for municipal water)</i> | <b>960,00</b>      |
|  |            |                           |            |           |           |            |                                                                                                                                                                                                                                    |                    |

## UNDER-COUNTER REVERSE OSMOSIS SYSTEMS AT DIRECT PRODUCTION



|  | Code       | Item                  | Dimensions |           |           | Production | Notes:                                                                                                                                                                                              | Unit price<br>Euro |
|--|------------|-----------------------|------------|-----------|-----------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
|  |            |                       | L<br>(cm)  | H<br>(cm) | Z<br>(cm) |            |                                                                                                                                                                                                     |                    |
|  | 102.308.30 | <b>GELPUR CMJ 80*</b> | 17         | 39        | 28        | 80 l/h     | Reverse osmosis system at direct production with pump, mixing tap and filters changing signal. Fitted with supplementary delivery tap.<br>Installation: under counter. <i>(for municipal water)</i> | <b>1.300,00</b>    |
|  |            |                       |            |           |           |            |                                                                                                                                                                                                     |                    |
|  | 102.307.20 | <b>GELPUR DF</b>      | 49         | 28        | 48        | 60 l/h     | Reverse osmosis system at direct production with supplementary delivery tap.<br>Installation: under counter. <i>(for municipal water)</i>                                                           | <b>1.300,00</b>    |
|  |            |                       |            |           |           |            |                                                                                                                                                                                                     |                    |
|  |            |                       |            |           |           |            |                                                                                                                                                                                                     |                    |

\* Ask GEL Export Department for product availability.

## COUNTERTOP REVERSE OSMOSIS SYSTEMS AT DIRECT PRODUCTION



|  | Code       | Item                 | Dimensions |           |           | Production | Notes:                                                                                                                                          | Unit price<br>Euro |
|--|------------|----------------------|------------|-----------|-----------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
|  |            |                      | L<br>(cm)  | H<br>(cm) | Z<br>(cm) |            |                                                                                                                                                 |                    |
|  | 102.307.00 | <b>GELPUR DF TOP</b> | 49         | 28        | 48        | 60 l/h     | Reverse osmosis system with direct production, fitted with incorporated delivery tap.<br>Installation: countertop. <i>(for municipal water)</i> | <b>1.280,00</b>    |
|  |            |                      |            |           |           |            |                                                                                                                                                 |                    |
|  |            |                      |            |           |           |            |                                                                                                                                                 |                    |


## ACCESSORIES FOR REVERSE OSMOSIS SYSTEMS



|  | Code       | Item                         | Notes                                                                              | Unit price<br>Euro |
|--|------------|------------------------------|------------------------------------------------------------------------------------|--------------------|
|  |            |                              |                                                                                    |                    |
|  | 102.307.70 | <b>DIGI FLOW</b>             | Programmable liter counter for changing filters on GELPUR SL 250 / FAST            | <b>50,00</b>       |
|  | 155.010.05 | <b>CONDUCTIVITY INSTRUM.</b> | Conductivity measuring from 0 to 1999 µS - Precision 10 µS with temperature sensor | <b>176,00</b>      |
|  | 102.307.80 | <b>THREE-WAY TAP</b>         | Three-way tap for hot, cold and treated water                                      | <b>150,00</b>      |

Note: For bigger models see "Industrial Line" at page 30.

## INDUSTRIAL REVERSE OSMOSIS SYSTEMS



| Code               | Item                     | Micro-filtering                                                                                | Max salinity $\mu\text{S}$ | Nr modules | Flow rate $\text{l/h}^{**}$ | Absorbed power (Kw) | Voltage Volts | Dimensions |        |        | Unit price Euro  |
|--------------------|--------------------------|------------------------------------------------------------------------------------------------|----------------------------|------------|-----------------------------|---------------------|---------------|------------|--------|--------|------------------|
|                    |                          |                                                                                                |                            |            |                             |                     |               | L (cm)     | H (cm) | Z (cm) |                  |
| 102.309.40         | <b>GELPUR OS 2400 P</b>  | included                                                                                       | 1000                       | 1          | 100                         | 0,55                | 230V          | 55         | 95     | 73     | <b>3.700,00</b>  |
| 102.309.50         | <b>GELPUR OS 6000 P</b>  | included                                                                                       | 1000                       | 1          | 250                         | 0,55                | 230V          | 86         | 153    | 56     | <b>5.800,00</b>  |
| 102.309.70         | <b>GELPUR OS 12000 P</b> | included                                                                                       | 1000                       | 2          | 500                         | 0,55                | 230V          | 86         | 153    | 56     | <b>7.000,00</b>  |
| 102.309.80         | <b>GELPUR OS 6000</b>    | included                                                                                       | 6000                       | 1          | 250                         | 2,2                 | 380V*         | 86         | 153    | 56     | <b>9.840,00</b>  |
| 102.309.90         | <b>GELPUR OS 12000</b>   | included                                                                                       | 6000                       | 2          | 500                         | 2,2                 | 380V*         | 86         | 153    | 56     | <b>11.340,00</b> |
| 102.310.10         | <b>GELPUR OS 16800</b>   | included                                                                                       | 6000                       | 3          | 700                         | 2,2                 | 380V*         | 86         | 153    | 56     | <b>12.780,00</b> |
| 102.310.30         | <b>GELPUR OS 21600</b>   | included                                                                                       | 6000                       | 4          | 900                         | 2,2                 | 380V*         | 86         | 153    | 56     | <b>14.180,00</b> |
| 102.310.50         | <b>GELPUR OS 28800</b>   | included                                                                                       | 6000                       | 5          | 1200                        | 2,2                 | 380V*         | 86         | 153    | 56     | <b>15.670,00</b> |
| 102.310.70         | <b>GELPUR OS 48000</b>   | not included                                                                                   | 6000                       | 2          | 2000                        | 4                   | 380V*         | 300        | 170    | 96     | <b>23.500,00</b> |
| 102.310.90         | <b>GELPUR OS 72000</b>   | not included                                                                                   | 6000                       | 3          | 3000                        | 7,5                 | 380V*         | 300        | 170    | 96     | <b>31.610,00</b> |
| 102.311.10         | <b>GELPUR OS 96000</b>   | not included                                                                                   | 6000                       | 4          | 4000                        | 7,5                 | 380V*         | 300        | 170    | 96     | <b>33.020,00</b> |
| 102.311.30         | <b>GELPUR OS 120000</b>  | not included                                                                                   | 6000                       | 5          | 5000                        | 7,5                 | 380V*         | 300        | 170    | 96     | <b>38.390,00</b> |
| 102.311.50         | <b>GELPUR OS 144000</b>  | not included                                                                                   | 6000                       | 6          | 6000                        | 11                  | 380V*         | 300        | 170    | 96     | <b>41.540,00</b> |
| <b>ACCESSORIES</b> |                          |                                                                                                |                            |            |                             |                     |               |            |        |        |                  |
| 109.081.00         | <b>GSM TELE ALARM***</b> | Closed-circuit radio-monitoring GSM system. For reverse osmosis systems from the model OS 6000 |                            |            |                             |                     |               |            |        |        | <b>1.400,00</b>  |

\* Available with overcharge 230 V power supply.

\*\* Data referred to a water with 1000  $\mu\text{S}/\text{cm}$  - 25°C .

\*\*\* Available from May 2005.

NOTE: For a good working of the reverse osmosis systems, carefully take the necessary pre-treatments into account.

For bigger models, also available in container, please contact GEL Export Department.

## CONTAINERS FOR MICROFILTERING

| Code       | Item               | Connect. | Nr containers | Container material | Number |        | Notes: cartridges included on CFP 1-20 only | Unit price Euro |
|------------|--------------------|----------|---------------|--------------------|--------|--------|---------------------------------------------|-----------------|
|            |                    |          |               |                    | no.    | inches |                                             |                 |
| 103.035.10 | <b>CFP 1-20</b>    | 3/4"     | 1             | PE                 | 1      | 20"    | For model OS 28.800                         | <b>80,00</b>    |
| 103.035.20 | <b>CFP 2-20</b>    | 1"       | 2             | PE                 | 2      | 20"    | For model OS 48.000                         | <b>210,00</b>   |
| 103.035.30 | <b>CFP 3-20</b>    | 1 1/4"   | 3             | PE                 | 3      | 20"    | For model OS 72.000                         | <b>315,00</b>   |
| 103.035.40 | <b>CFP 4-20</b>    | 1 1/2"   | 4             | PE                 | 4      | 20"    | For model OS 96.000                         | <b>420,00</b>   |
| 101.500.40 | <b>DEPURA 5000</b> | 2"       | 1             | Stain. steel 316   | 3      | 40"    | For model OS 120.000                        | <b>1.700,00</b> |
| 101.500.50 | <b>DEPURA 6000</b> | 2 1/2"   | 1             | Stain. steel 316   | 7      | 40"    | For model OS 144.000                        | <b>1.940,00</b> |

## MICROFIBER CARTRIDGES


| Code       | Item                                        | Microns | Inches | Notes                       | Pack. pcs. | Unit price Euro |
|------------|---------------------------------------------|---------|--------|-----------------------------|------------|-----------------|
| 450.858.60 | <b>MICROFIBRER PP 20" 5<math>\mu</math></b> | 5       | 20     | Cartridges in polypropylene | 1          | <b>8,80</b>     |
| 103.031.00 | <b>MICROFIBRER PP 40" 5<math>\mu</math></b> | 5       | 40     | Cartridges in polypropylene | 1          | <b>24,00</b>    |

## CHEMICAL PRODUCTS FOR OSMOSIS

| Code       | Item                       | Notes                                                               | Unit price Euro |
|------------|----------------------------|---------------------------------------------------------------------|-----------------|
| 107.036.20 | <b>SAVER LIQUID</b>        | Concentrated preserving product for reverse osmosis systems (10 kg) | <b>140,00</b>   |
| 133.030.00 | <b>GEL ANTISCALANT RO1</b> | Anti-scale product (25 kg)                                          | <b>138,00</b>   |
| 133.030.10 | <b>GEL ANTISCALANT RO2</b> | Anti-scale product (in presence of iron) (25 kg)                    | <b>160,00</b>   |
| 109.080.60 | <b>GEL WASHING BASIC</b>   | Basic washing product - Dosing for 100 l water (1 l)                | <b>22,00</b>    |
| 109.080.50 | <b>GEL WASHING ACID</b>    | Acid washing product - Dosing for 100 l water (5 l)                 | <b>27,00</b>    |

NOTE: To make the right choice please check the technical features on the "Guida ACQUA" catalogue tables, section 7.

## INDUSTRIAL U.V. STERILIZERS



| Code       | Item                             | UV lamps |           | Flow rate<br>l/min | Stainless<br>steel<br>chamber | Dimensions |           | Unit price<br>Euro |
|------------|----------------------------------|----------|-----------|--------------------|-------------------------------|------------|-----------|--------------------|
|            |                                  | No.      | Watt/each |                    |                               | Ø<br>(cm)  | H<br>(cm) |                    |
| 102.334.00 | <b>GELPUR LIGHT 14 LV 304</b>    | 4        | 45        | 233                | 304                           | 26         | 99        | <b>4.050,00</b>    |
| 102.334.10 | <b>GELPUR LIGHT 14 LV 316</b>    | 4        | 45        | 233                | 316                           | 26         | 99        | <b>4.660,00</b>    |
| 102.334.20 | <b>GELPUR LIGHT S 14 LV 304</b>  | 4        | 45        | 233                | 304                           | 26         | 99        | <b>4.760,00</b>    |
| 102.334.30 | <b>GELPUR LIGHT S 14 LV 316</b>  | 4        | 45        | 233                | 316                           | 26         | 99        | <b>5.480,00</b>    |
| 102.333.50 | <b>GELPUR LIGHT 20 LV 304</b>    | 5        | 45        | 333                | 304                           | 26         | 99        | <b>5.565,00</b>    |
| 102.333.60 | <b>GELPUR LIGHT 20 LV 316</b>    | 5        | 45        | 333                | 316                           | 26         | 99        | <b>6.396,00</b>    |
| 102.333.70 | <b>GELPUR LIGHT S 20 LV 304</b>  | 5        | 45        | 333                | 304                           | 26         | 99        | <b>6.388,00</b>    |
| 102.333.80 | <b>GELPUR LIGHT S 20 LV 316</b>  | 5        | 45        | 333                | 316                           | 26         | 99        | <b>7.345,00</b>    |
| 102.332.90 | <b>GELPUR LIGHT 30 LV 304</b>    | 4        | 85        | 500                | 304                           | 34         | 98        | <b>5.880,00</b>    |
| 102.334.50 | <b>GELPUR LIGHT 30 LV 316</b>    | 4        | 85        | 500                | 316                           | 34         | 98        | <b>6.770,00</b>    |
| 102.334.60 | <b>GELPUR LIGHT S 30 LV 304</b>  | 4        | 85        | 500                | 304                           | 34         | 98        | <b>6.770,00</b>    |
| 102.334.70 | <b>GELPUR LIGHT S 30 LV 316</b>  | 4        | 85        | 500                | 316                           | 34         | 98        | <b>7.770,00</b>    |
| 102.334.80 | <b>GELPUR LIGHT 40 LV 304</b>    | 5        | 85        | 666                | 304                           | 36         | 98        | <b>6.810,00</b>    |
| 102.334.90 | <b>GELPUR LIGHT 40 LV 316</b>    | 5        | 85        | 666                | 316                           | 36         | 98        | <b>7.840,00</b>    |
| 102.335.00 | <b>GELPUR LIGHT S 40 LV 304</b>  | 5        | 85        | 666                | 304                           | 36         | 98        | <b>7.780,00</b>    |
| 102.335.10 | <b>GELPUR LIGHT S 40 LV 316</b>  | 5        | 85        | 666                | 316                           | 36         | 98        | <b>8.940,00</b>    |
| 102.335.20 | <b>GELPUR LIGHT 65 LV 304</b>    | 6        | 85        | 1083               | 304                           | 47         | 112       | <b>9.010,00</b>    |
| 102.335.30 | <b>GELPUR LIGHT 65 LV 316</b>    | 6        | 85        | 1083               | 316                           | 47         | 112       | <b>10.360,00</b>   |
| 102.335.40 | <b>GELPUR LIGHT S 65 LV 304</b>  | 6        | 85        | 1083               | 304                           | 47         | 112       | <b>10.090,00</b>   |
| 102.335.50 | <b>GELPUR LIGHT S 65 LV 316</b>  | 6        | 85        | 1083               | 316                           | 47         | 112       | <b>11.600,00</b>   |
| 102.335.60 | <b>GELPUR LIGHT 80 LV 304</b>    | 8        | 85        | 1333               | 304                           | 47         | 112       | <b>10.800,00</b>   |
| 102.335.70 | <b>GELPUR LIGHT 80 LV 316</b>    | 8        | 85        | 1333               | 316                           | 47         | 112       | <b>12.410,00</b>   |
| 102.335.80 | <b>GELPUR LIGHT S 80 LV 304</b>  | 8        | 85        | 1333               | 304                           | 47         | 112       | <b>11.820,00</b>   |
| 102.335.90 | <b>GELPUR LIGHT S 80 LV 316</b>  | 8        | 85        | 1333               | 316                           | 47         | 112       | <b>13.590,00</b>   |
| 102.336.00 | <b>GELPUR LIGHT 135 LV 304</b>   | 10       | 85        | 2250               | 304                           | 51         | 112       | <b>13.990,00</b>   |
| 102.336.10 | <b>GELPUR LIGHT 135 LV 316</b>   | 10       | 85        | 2250               | 316                           | 51         | 112       | <b>16.080,00</b>   |
| 102.336.20 | <b>GELPUR LIGHT S 135 LV 304</b> | 10       | 85        | 2250               | 304                           | 51         | 112       | <b>15.410,00</b>   |
| 102.336.30 | <b>GELPUR LIGHT S 135 LV 316</b> | 10       | 85        | 2250               | 316                           | 51         | 112       | <b>17.710,00</b>   |
| 102.336.40 | <b>GELPUR LIGHT 200 LV 304</b>   | 12       | 85        | 3333               | 304                           | 57         | 114       | <b>16.740,00</b>   |
| 102.336.50 | <b>GELPUR LIGHT 200 LV 316</b>   | 12       | 85        | 3333               | 316                           | 57         | 114       | <b>19.240,00</b>   |
| 102.336.60 | <b>GELPUR LIGHT S 200 LV 304</b> | 12       | 85        | 3333               | 304                           | 57         | 114       | <b>18.190,00</b>   |
| 102.336.70 | <b>GELPUR LIGHT S 200 LV 316</b> | 12       | 85        | 3333               | 316                           | 57         | 114       | <b>20.920,00</b>   |


Note:  
LV = model with vertical lamps  
S = UVC meter

## ACCESSORIES

| Code       | Item                                 | Notes                         | Unit price<br>Euro |
|------------|--------------------------------------|-------------------------------|--------------------|
| 452.366.15 | <b>UV LAMP FOR VERTICAL LINE 45W</b> | For GELPUR LIGHT 20 and 14 LV | <b>109,00</b>      |
| 452.366.71 | <b>UV LAMP FOR VERTICAL LINE 85W</b> | For GELPUR LIGHT 30-200 LV    | <b>215,00</b>      |

NOTE: To make the right choice please check the technical features on the "Guida ACQUA" catalogu tables, section 7.

## INDUSTRIAL U.V. STERILIZERS



| <i>Code</i>                                                | <i>Item</i>                      | <i>UV lamps</i> |                  | <i>Flow rate<br/>l/min</i> | <i>Stainless<br/>steel<br/>chamber</i> | <i>Dimensions</i> |                   |                   | <i>Unit price<br/>Euro</i> |
|------------------------------------------------------------|----------------------------------|-----------------|------------------|----------------------------|----------------------------------------|-------------------|-------------------|-------------------|----------------------------|
|                                                            |                                  | <i>No.</i>      | <i>Watt/each</i> |                            |                                        | <i>L<br/>(cm)</i> | <i>H<br/>(cm)</i> | <i>Z<br/>(cm)</i> |                            |
| 102.336.80                                                 | <b>GELPUR LIGHT 320 LO 304</b>   | 12              | 220              | 5333                       | 304                                    | 179               | 39                | 75                | <b>23.000,00</b>           |
| 102.336.90                                                 | <b>GELPUR LIGHT 320 LO 316</b>   | 12              | 220              | 5333                       | 316                                    | 179               | 39                | 75                | <b>26.460,00</b>           |
| 102.337.00                                                 | <b>GELPUR LIGHT S 320 LO 304</b> | 12              | 220              | 5333                       | 304                                    | 179               | 39                | 75                | <b>25.080,00</b>           |
| 102.337.10                                                 | <b>GELPUR LIGHT S 320 LO 316</b> | 12              | 220              | 5333                       | 316                                    | 179               | 39                | 75                | <b>28.840,00</b>           |
| 102.337.20                                                 | <b>GELPUR LIGHT 410 LO 304</b>   | 15              | 220              | 6833                       | 304                                    | 179               | 39                | 75                | <b>26.630,00</b>           |
| 102.337.30                                                 | <b>GELPUR LIGHT 410 LO 316</b>   | 15              | 220              | 6833                       | 316                                    | 179               | 39                | 75                | <b>30.620,00</b>           |
| 102.337.40                                                 | <b>GELPUR LIGHT S 410 LO 304</b> | 15              | 220              | 6833                       | 304                                    | 179               | 39                | 75                | <b>28.240,00</b>           |
| 102.337.50                                                 | <b>GELPUR LIGHT S 410 LO 316</b> | 15              | 220              | 6833                       | 316                                    | 179               | 39                | 75                | <b>32.470,00</b>           |
| 102.337.60                                                 | <b>GELPUR LIGHT 550 LO 304</b>   | 18              | 220              | 9166                       | 304                                    | 179               | 42                | 78                | <b>41.930,00</b>           |
| 102.337.70                                                 | <b>GELPUR LIGHT 550 LO 316</b>   | 18              | 220              | 9166                       | 316                                    | 179               | 42                | 78                | <b>48.240,00</b>           |
| 102.337.80                                                 | <b>GELPUR LIGHT S 550 LO 304</b> | 18              | 220              | 9166                       | 304                                    | 179               | 42                | 78                | <b>42.560,00</b>           |
| 102.337.90                                                 | <b>GELPUR LIGHT S 550 LO 316</b> | 18              | 220              | 9166                       | 316                                    | 179               | 42                | 78                | <b>48.990,00</b>           |
| Note:<br>LO = model with horizontal lamps<br>S = UVC meter |                                  |                 |                  |                            |                                        |                   |                   |                   |                            |

## ACCESSORIES

| <i>Code</i> | <i>Item</i>                             | <i>Notes</i>                    | <i>Unit price<br/>Euro</i> |
|-------------|-----------------------------------------|---------------------------------|----------------------------|
| 452.366.72  | <b>UV LAMP FOR HORIZONTAL LINE 220W</b> | For GELPUR LIGHT 320-410-550 LO | <b>440,00</b>              |

NOTE: To make the right choice please check the technical features on the "Guida ACQUA" catalogue tables, section 7.

## CONSUMABLES

### CONSUMABLES FOR GELPUR FILTER - SI

|  | Code       | Item                 | Microns | Inches | Dimens. |        | Notes                           | Pack. pcs. | Unit price Euro |
|--|------------|----------------------|---------|--------|---------|--------|---------------------------------|------------|-----------------|
|  |            |                      |         |        | L (cm)  | H (cm) |                                 |            |                 |
|  | 103.255.70 | CARTRIDGE FILTER /SI | 20      | 10"    | 6       | 18     | For GELPUR FILTER and FILTER SI | 1          | 36,00           |
|  | 600.180.40 | 8W UV LAMP GROUP     | —       | —      | 6       | 25     | For GELPUR FILTER and FILTER SI | 1          | 108,00          |

### CONSUMABLES FOR REVERSE OSMOSIS SYSTEMS (GELPUR SL 250 - 250 FAST - DF -DF TOP - CMJ 80)

|  | Code       | Item                      | Microns | Inches | Dimens. |  | Notes                                            | Pack. pcs. | Unit price Euro |
|--|------------|---------------------------|---------|--------|---------|--|--------------------------------------------------|------------|-----------------|
|  | 450.858.15 | MICROFIBER PP 10" 5μ      | 5       | 10"    |         |  | For SL 250 (Prefilter)                           | 1          | 3,20            |
|  | 450.860.75 | CARBON FILTER 10"         | —       | 10"    |         |  | For SL 250 (Activated carbon filter)             | 1          | 10,00           |
|  | 450.858.10 | MICROFIBER PP 10" 1μ      | 1       | 10"    |         |  | For SL 250 (Postfilter)                          | 1          | 3,80            |
|  | 450.858.20 | MICROFIBER PP 10" FAST 5μ | 5       | 10"    |         |  | For SL 250 FAST (Prefilter)                      | 1          | 14,40           |
|  | 450.860.70 | CARBON FILTER FAST        | —       | 10"    |         |  | For SL 250 FAST (Activated carbon filter)        | 1          | 14,40           |
|  | 450.858.30 | MICROFIBER PP 10" FAST 1μ | 1       | 10"    |         |  | For SL 250 FAST (Postfilter)                     | 1          | 14,40           |
|  | 450.858.35 | PREFILTER 5μ IN LINE      | 5       | -      |         |  | For GELPUR DF - DF TOP                           | 1          | 14,00           |
|  | 450.860.85 | CARBON FILTER IN LINE     | -       | -      |         |  | For GELPUR DF - DF TOP (Activated carbon filter) | 1          | 14,00           |
|  | 450.860.80 | ODOUR REMOVER FILTER      | —       | —      |         |  | For SL 250 - FAST (Odour remover filter)         | 1          | 8,30            |
|  | 453.122.30 | RO MEMBRANE 75 GPD        | —       | —      |         |  | For SL 250 - FAST                                | 1          | 100,00          |
|  | 453.122.40 | RO MEMBRANE 100 GPD       | —       | —      |         |  | For GELPUR DF - DF TOP - CMJ 80                  | 1          | 160,00          |
|  | 452.930.25 | UV LAMP 1 GPM             | —       | —      |         |  | For SL 250 - FAST                                | 1          | 34,00           |

### CARTRIDGES FOR SAND, CHLORINE REMOVING AND DEMINERALIZING FILTERS

|  | Code       | Item                        | Microns | Inches | Dimens. |        | Notes                            | Pack. pcs. | Unit price Euro |
|--|------------|-----------------------------|---------|--------|---------|--------|----------------------------------|------------|-----------------|
|  |            |                             |         |        | L (cm)  | H (cm) |                                  |            |                 |
|  | 455.900.70 | WASH. FLAT STEEL 4"         | 100     | 4"     | 3       | 10     | For DEPURA BABY CYCLON           | 6          | 16,00           |
|  | 103.020.70 | WASH. FLAT STEEL            | 90      | 7"     | 6       | 18     | For DEPURA CYCLON 700            | 6          | 36,00           |
|  | 103.020.90 | WASH. FLAT STEEL            | 90      | 10"    | 6       | 25     | For DEPURA CYCLON 1000 - 1000 OX | 6          | 44,00           |
|  | 103.020.80 | WASH. FLAT STEEL/3          | 90      | 10"    | 6,4     | 24     | For DEPURA CYCLON 3000 - 3000 OX | 6          | 44,00           |
|  |            | Capacity                    |         |        |         |        |                                  |            |                 |
|  | 103.256.70 | DEMI CARTRIDGE              | 100 l   | 7"     | 6       | 18     | For DEPURA TOTAL 600             | 6          | 13,50           |
|  | 103.256.90 | DEMI CARTRIDGE              | 150 l   | 10"    | 6       | 25     | For DEPURA TOTAL 900             | 6          | 16,60           |
|  | 103.056.10 | CHLORINE REMOVING CARTRIDGE | 44* m³  | 7"     | 6       | 18     | For DEPURCLOR 600                | 6          | 29,00           |
|  | 103.056.20 | CHLORINE REMOVING CARTRIDGE | 66* m³  | 10"    | 6       | 25     | For DEPURCLOR 900                | 6          | 40,00           |

\* Data referred to water supply entry with 0,5 p.p.m. free chlorine.

### RESINS / FILTERING MASSES

|  | Code       | Item                   | Notes                                                | Pack. | pcs. | Unit price Euro |
|--|------------|------------------------|------------------------------------------------------|-------|------|-----------------|
|  | 410.700.20 | CATIONIC RESIN         | Resin for water softeners 0.3 - 1,2 mm (3,00 d/l)    | 25    | 1    | 75,00           |
|  | 410.700.55 | QUARTZITE 0.4 - 0.7 mm | Quartz-sand for clarifiers (0,44 d/kg)               | 25    | 1    | 11,00           |
|  | 410.700.50 | QUARTZITE 0.5 - 1 mm   | Quartz-sand for clarifiers (0,44 d/kg)               | 25    | 1    | 11,00           |
|  | 410.700.40 | QUARTZITE 1 - 2 mm     | Quartz-sand for clarifiers (0,44 d/kg)               | 25    | 1    | 11,00           |
|  | 410.700.30 | QUARTZITE 3 - 5 mm     | Quartz-sand for clarifiers (0,44 d/kg)               | 25    | 1    | 11,00           |
|  | 410.700.25 | QUARTZITE 5 - 8 mm     | Quartz-sand for clarifiers (0,44 d/kg)               | 25    | 1    | 11,00           |
|  | 410.700.10 | GELCARB 25             | Granular activated carbon (8 x 30 mm), (6,10 d/kg)   | 25    | 1    | 152,50          |
|  | 151.000.10 | GELCARB 10             | to remove chlorine, smells and pollution (7,80 d/kg) | 10    | 1    | 78,00           |

5% discount reduction for orders where standard packing is not respected.